

L Number	Hits	Search Text	DB	Time stamp
-	35	("6048117" or "6011632" or "5760913" or "5689110" or "5625469" or "5589951" or "5537516" or "5452112" or "5420699" or "5363318" or "5282053" or "5194966" or "5107332" or "5004340" or "4618248" or "4180741" or "4095248").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 09:39
-	15	("2308773" or "562971" or "301506").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/08 11:14
-	106	("5291221" "5198869" "4344183" "4605970" "5384621" "5452112" "5642202" "5809366" "6008907" "6048117" "6196652" "6384918" "6505909" "4509859" "4898467" "5331428" "5485527" "5604465" "6055071" "4078419" "4314281" "4512659" "4518915" "4520361" "4551776" "4774548" "4777528" "4802007" "4894552" "4980759" "5282053" "5312590" "5313291" "5323179" "5402666" "5404232" "5416613" "5440365" "5481340" "5502799" "5506884" "5537516" "5546165" "5563717" "5567863" "5617340" "5621217" "5691817" "5699440" "5699282").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 09:39

-	99	("5731884" "5748330" "5756991" "5760913" "5798193" "5808669" "5813771" "5832415" "5834364" "5884118" "5887223" "6011582" "6018381" "6037087" "6060898" "6069973" "6076915" "6084629" "6106980" "6130099" "6141120" "6164750" "6185007" "6287765" "6327047" "6351228" "6351308" "6373976" "6377330" "6417682" "6418281" "6441898" "6441923" "6442497" "6461626" "6474768" "6483596" "6494557" "6556793" "6556934" "6168957" "5869975" "4482252" "5206518" "5262716" "5446682" "5448491" "5450328" "5621157" "5734596") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 09:39
---	----	---	---	---------------------

-	105	("5798947" "5920067" "5985495" "6075603" "6087652" "4266220" "4321933" "4338810" "4420746" "4432037" "4503862" "4518992" "4538150" "4759073" "4763004" "4782598" "4831566" "4911543" "4993397" "5191208" "5283396" "5450383" "5539304" "5543883" "5552791" "5552765" "5559519" "5561377" "5567937" "5621310" "5621329" "5659255" "5682165" "5712855" "5742921" "5844675" "5877456" "5892408" "5903857" "5920187" "5921992" "5952563" "5973505" "5978745" "6018434" "6071317" "6105157" "6130544" "6133727" "6226419") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 09:39
---	-----	---	---	---------------------

-	121	("6226419" "6407804" "3696667" "3657983" "3899915" "3853564" "3796952" "4054878" "4064735" "4173139" "4247380" "4269201" "4271694" "4272245" "4277960" "4279142" "4282426" "4281897" "4287536" "4287403" "4290298" "4303409" "4309112" "4324126" "4328698" "4331862" "4342964" "4347730" "4353427" "4354177" "4365895" "4370641" "4379225" "4384337" "4386850" "4391124" "4394743" "4408231" "4415927" "4415852" "4425545" "4427998" "4434648" "4441173" "4447780" "4447723" "4455090" "4460967" "4482971" "4490678") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 09:39
---	-----	---	---	---------------------

-	100	("4492557" "4497056" "4502627" "4508686" "4514495" "4517292" "4517460" "4523093" "4532013" "4535307" "4555181" "4565514" "4566798" "4567896" "4575124" "4584655" "4590791" "4611313" "4611905" "4613754" "4615007" "4618248" "4624564" "4760447" "4764793" "4765716" "4766370" "4767660" "4771258" "4773094" "4773761" "4794462" "4795969" "4796062" "4797642" "4799008" "4815313" "4820991" "4828387" "4829336" "4833088" "4841974" "4864844" "4886965" "4902964" "4903055" "4903144" "4909064" "4909338" "4910409") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 09:39
---	-----	---	---	---------------------

-	98	("4913793" "4918972" "4921347" "4928278" "4933538" "4954834" "4953459" "4960336" "4963028" "4963826" "4974024" "4973804" "4977579" "4984896" "4985320" "4989450" "4993424" "4995959" "4996483" "4996605" "4999673" "5003175" "5008851" "5013006" "5020116" "5023046" "5068852" "5177961" "5182707" "5183761" "5184011" "5185635" "5185733" "5191348" "5194966" "5198907" "5205293" "5210591" "5218416" "5229591" "5235175" "5235528" "5235842" "5237864" "5245864" "5245872" "5250791" "5251469" "5253188" "5258308") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 09:40
---	----	---	---	---------------------

-	625	("5291221" "5198869" "4344183" "4605970" "5384621" "5452112" "5642202" "5809366" "6008907" "6048117" "6196652" "6384918" "6505909" "4509859" "4898467" "5331428" "5485527" "5604465" "6055071" "4078419" "4314281" "4512659" "4518915" "4520361" "4551776" "4774548" "4777528" "4802007" "4894552" "4980759" "5282053" "5312590" "5313291" "5323179" "5402666" "5404232" "5416613" "5440365" "5481340" "5502799" "5506884" "5537516" "5546165" "5563717" "5567863" "5617340" "5621217" "5691817" "5699440" "5699282").pn.) or ("5731884" "5748330" "5756991" "5760913" "5798193" "5808669" "5813771" "5832415" "5834364" "5884118" "5887223" "6011582" "6018381" "6037087" "6060898" "6069973" "6076915" "6084629" "6106980" "6130099" "6141120" "6164750" "6185007" "6287765" "6327047" "6351308"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 10:03
Search History	9/11/03 1:56:28 PM	Page 7		
C:\APPS\EAST\Workspa	6351308	ember\9976880.wsp		

-	76	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near6 (scanner or scanning)) near5 (user or operator or person or individual) 6327047.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 15:39
-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:19
-	2	((calibrat\$4 near2 target near2 strip) same (photograph\$2 near2 (paper or material)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:23
-	2	((calibrat\$4 near2 target near2 strip) same (photograph\$2 near2 (paper or material or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:26
-	2680	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near6 (scanner or scanning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:47
-	1	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near6 (scanner or scanning)) near6 (photograph\$2 near2 (paper or material or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:45
-	2	(Kodak near2 gray near2 strip) or (TI8 near1 target)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:39
-	17	("4095248" "4180741" "4618248" "5004340" "5107332" "5194966" "5282053" "5363318" "5420699" "5452112" "5537516" "5589951" "5625469" "5689110" "5760913" "6011632" "6048117").PN.	USPAT	2003/09/10 13:39
-	2	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near6 (scanner or scanning)) near11 (photograph\$2 near2 (paper or material or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:46
-	2	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near6 (scanner or scanning)) near11 (photograph\$2 near4 (paper or material or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:47
-	2	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near6 (scanner or scanning)) near11 (photograph\$2 near6 (paper or material or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:47
-	163	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near6 (photograph\$2 near6 (paper or material or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:48
-	94	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near2 (photograph\$2 near6 (paper or material or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 13:48
-	73	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near1 (photograph\$2 near6 (paper or material or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 16:07

-	111	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:20
-	1	plastic near11 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 16:13
-	13	(scanner or scanning or scanned) near11 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 16:14
-	13	(scanner or scanning or scanned) same ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 16:41
-	8	("4292621" "4724330" "4985930" "5289208" "5297017" "5648801" "5732162" "6039427").PN.	USPAT	2003/09/10 16:26
-	1	reference near2 sticker same scan\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 16:42
-	116	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:37

-	5	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner)) not ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 16:45
-	14	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near1 (adhere\$1 or adher\$4 or stick\$4 or attach or cleave or fasten or fix or glue or paste or bind or fasten or affix or unit or cohere or bind or coalesce or anchor or implant or glue or embed or cohere) near6 (surface or medium or platen or scanner)) same (scanner or scanning or scan\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 16:45
-	41	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near11 (protective near1 (cover or coating or coat))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:11
-	5	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near11 (decal near1 (paper or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:15
-	18	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near11 (decal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:19
-	1	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near11 (decal)) same (scanner or scan or scanned or scanning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:20
-	42	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) same decal	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:20
-	3	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) same decal) same (scanner or scan or scanned or scanning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:21
-	1	6143454.URPN.	USPAT	2003/09/10 17:35
-	0	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near4 ((non adj1 reflective) near6 (cover or holder or sleeve))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:38
-	2	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near4 ((reflective) near6 (cover or holder or sleeve))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:38

-	3	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near11 ((reflective) near6 (cover or holder or sleeve))) not ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near4 ((reflective) near6 (cover or holder or sleeve)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/10 17:39
-	5	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or sticker or pattern or strip or target) near11 ((reflective) near6 (cover or holder or sleeve))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 09:49
-	1	6326128.pn. and dye	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 09:49
-	173	decals near1 paper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:25
-	4	(decals near1 paper) and (dye near1 sublimation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 09:55
-	11	("Re31072" "4230784" "4246331" "4536462" "5289246" "5366836" "5555813" "5590600" "5869167" "6007955" "6143454").PN.	USPAT	2003/09/11 10:00
-	2	6007955.URPN.	USPAT	2003/09/11 10:01
-	2	5869167.URPN.	USPAT	2003/09/11 10:02
-	35	(US-6048117-\$ or US-5760913-\$ or US-5537516-\$ or US-5452112-\$ or US-5282053-\$ or US-5194966-\$ or US-4618248-\$ or US-6011632-\$ or US-5589951-\$ or US-5363318-\$ or US-5107332-\$ or US-5004340-\$ or US-4095248-\$ or US-5420699-\$ or US-5689110-\$ or US-5625469-\$ or US-4180741-\$ or US-5241406-\$ or US-6295386-\$ or US-5243069-\$ or US-5589928-\$ or US-5366836-\$ or US-4536462-\$).did. or (US-20020063873-\$ or US-20020057470-\$ or US-20020054384-\$ or US-20020053643-\$).did. or (JP-2001209216-\$ or JP-2001158134-\$ or JP-11224039-\$ or JP-09069959-\$).did. or (US-5319408-\$ or EP-601626-\$ or JP-07125851-\$ or US-5942065-\$).did.	USPAT; US-PGPUB; JPO; DERWENT	2003/09/11 10:21
-	1	(decals near1 paper) near11 (scan or scanning or scanner or scanned)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:36
-	2154	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scanner or scanning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:37
-	155	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scanner or scanning)) near3 (fix\$4 or hold\$4 or affix\$4 or sleeve or place or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:38
-	3863	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:20

-	2	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) same (fix\$4 or transparent or transparency or clear or hold\$4 or affix\$4 or sleeve or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or insert\$4 or place or position) same ((non adj1 reflect\$4) or nonreflect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:46
-	3	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near6 (transparent or transparency or clear) near6 (sleeve or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:47
-	3	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near6 ((see adj1 through) or transparent or transparency or clear) near6 (sleeve or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:48
-	4	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near6 ((see adj1 through) or transparent or transparency or clear) near6 (sleeve or glass or plastic or crystal or platen or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:49
-	4	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near6 ((see adj1 through) or transparent or translucent or transparency or clear) near6 (sleeve or glass or plastic or crystal or platen or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:50
-	5	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near11 ((see adj1 through) or transparent or translucent or transparency or clear) near11 (sleeve or glass or plastic or crystal or platen or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:59

-	44	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near11 ((see adj1 through) or transparent or translucent or transparency or clear) near11 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 10:57
-	6	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near11 ((see adj1 through) or transparent or translucent or transparency or clear) near11 (sleeve or glass or plastic or crystal or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:01
-	7	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near11 ((see adj1 through) or transparent or translucent or transparency or clear) near11 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:07
-	7	((see adj1 through) or transparent or translucent or transparency or clear) near11 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position) near5 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:08
-	7	((see adj1 through) or transparent or translucent or transparency or clear) near11 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position) near11 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:09
-	7	((see adj1 through) or transparent or translucent or transparency or clear) near11 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near11 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:09

-	14	((see adj1 through) or transparent or translucent or reflectivity or reflectance or transparency or clear) near11 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near11 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:13
-	6684	((see adj1 through) or transparent or translucent or reflectivity or reflectance or transparency or clear) near11 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position) near11 (scan\$4 or scanner or scanning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:14
-	2729	((see adj1 through) or transparent or translucent or reflectivity or reflectance or transparency or clear) near4 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position) near4 (scan\$4 or scanner or scanning)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:17
-	15	((see adj1 through) or transparent or translucent or reflectivity or reflectance or transparency or clear) near4 (sleeve or glass or plastic or crystal or plate or platen or window or section or placement or holder or covering or cover\$4 or glove or housing or element or envelope or compartment or container or pocket or position) near4 (scan\$4 or scanner or scanning)) same ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:17
-	54	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning) near5 (operator or user or human))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:26
-	31	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near5 (slipping or moveable or moving or slip)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:37
-	0	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning)) near11 prevent\$4 near4 (slipping or moveable or slip)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:39
-	0	prevent\$4 near4 (slipping or moveable or slip) near5 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 11:39

-	0	(secur\$4 or prevent\$4 or stop\$4) near4 (slipping or moveable or slip) near5 ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:08
-	47	calibrat\$4 near2 printer near2 scanner	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:26
-	7	(calibrat\$4 near2 printer near2 scanner) same ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:08
-	2	((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning) near5 (operator or user or human)) same (calibrat\$4 near2 printer near2 scanner)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:26
-	315	(calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning) same (operator or user or human)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:28
-	7	(calibrat\$4 near2 printer near2 scanner) and "345"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:29
-	7	(calibrat\$4 near2 printer near2 scanner) and ((calibration or control or reference or calibrat\$4 or color or test) near2 (patch or pattern or strip or target) near4 (scan\$3 or scanning) same (operator or user or human))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/11 12:29